


# 台州典范包装有限公司

Taizhou Paragon Packaging Company



Tel: 0086-0576-89789537      WhatsApp: 0086-18761582521

Add: Lupu Pharmaceutical Packaging Park ,Yuhuan County

Taizhou City ,Zhejiang Province 317605

E-mail: Michael.tong@paragonpackaging.com.cn

yvonne@paragonpackaging.com.cn

Website: <https://www.paragonpackaging.com.cn/>

# 台州典范包装有限公司

Taizhou Paragon Packaging Company



Safety, Health

Environmental Protection





# 台州典范包装有限公司

Taizhou Paragon Packaging Company

## 企业简介

台州典范包装有限公司坐落于滨海之城---浙江省玉环市芦浦镇工业区, 东临东海, 西靠乐清湾。

本司集设计、生产、加工、进出口贸易、服务为一体。主营PE瓶、PET瓶、PET罐、AS罐、PP罐、PP盖、亚克力瓶等各类化妆品包材、塑料制品。

公司秉持“高质量、高标准、高信誉、高服务”的理念为海内外客户服务。欢迎各界朋友莅临参观、指导和洽谈业务!!!



## WHO WE ARE

Taizhou Paragon packaging Company established in 2013, specialized in the research, development and production of plastic bottles, plastic caps, plastic jars, plastic pumps and sprayers, droppers and various products. We are located in YuHuan city, Zhejiang province, China, with convenient transportation access. All of our products comply with international quality standards and are greatly appreciated in a variety of different markets throughout the world. These cooperation are based on premium products, reasonable price and other specialized services like product design, mold customization and customer first services. Paragon sincerely invites you to cooperate with us for a long-term win-win partnership.



## PACKAGING FOR

- ✓ Color Cosmetic
- ✓ Skin Care
- ✓ Perfume
- ✓ Personal Care
- ✓ Household Cleaning Products



# CLOSURE



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
DF-213	38/400



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
DF-223	38/400



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
DF-37	24/410



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
DF-116	20/410



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
DF-32	18/400



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
DF-224	38/400



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
DF-206	38/400



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
DF-189	20/410
DF-190	24/410
DF-191	28/410



➤➤➤ **CLOSURE**



➤➤➤ **Disc Top Cap**



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
DF-212	33/410
DF-225	28/410
DF-211	24/410
DF-225	20/410

$\varphi$  28/410 (Glossy)  
DF-226

$\varphi$  24/410 (Double)  
DF-76

$\varphi$  24/410 (Striped)  
DF-56

$\varphi$  24/410 (Matt)  
DF-227M

$\varphi$  24/410 (Aluminium Shell)  
DF-227A

$\varphi$  24/410 (Mood)  
DF-227D

$\varphi$  20/415  
DF-228

$\varphi$  24/415  
DF-229



# CLOSURE



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
DF-25	24/415



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
DF-38	28/400



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
DF-230	28/410



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
DF-185	20/410 24/410



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
DF-179	24/410



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
DF-30	20/410
	24/410
	28/410



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
DF-41	24/410



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
DF-181	24/415



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
DF-184	24/415



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
DF-216	24/410



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
DF-173	24/410



➤➤➤ **CLOSURE**



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
------------	--

DF-230	33/400
--------	--------



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
------------	--

DF-231(C)	38/400
DF-231(Matt)	38/400



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
------------	--

DF-232	38/400
--------	--------

➤➤➤



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
------------	--

DF-233	38mm
--------	------



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
------------	--

DF-49	43mm
-------	------



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
------------	--

DF-234	43mm
--------	------





# CLOSURE



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
DF-235	28/415

Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
DF-236	24/415

Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
DF-239	24/415

Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
DF-240	24/410



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
DF-237	20/415

Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
DF-238	18/415

Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
DF-241	20/410

Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
DF-121(D)	20/410



Smooth Flip Cap

Striped Flip Cap

NEW



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
DF-242	24/410

Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
DF-243	28/410

Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
DF-245	28/410

Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
DF-246	24/410



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
DF-244	24/410

Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
DF-244	20/410

Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
DF-247	20/410

Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
DF-248	18/410





# CHILD-RESISTANT CAP



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )	Height 高度
DF-249	38/400	18.9mm



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )	Height 高度
DF-250	48/400	24.42mm



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )	Height 高度
DF-253	28/400	16.19mm
	38/400	16.61mm
	48/400	17.9mm



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )	Height 高度
DF-251	48/400	15.19mm



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )	Height 高度
DF-252	33/400	14.85mm
	38/400	15.8mm

Can be customized



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )	Height 高度
DF-253	48/400	15.54mm



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )	Height 高度
DF-254	48/400	15.14mm







# CHILD-RESISTANT CAP



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )	Height 高度
DF-254	63mm	18.25mm
	38mm	17.12mm
	33mm	16.76mm
	28mm	17mm



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )	Height 高度
DF-255	89mm	20.3mm
	43mm	17.88mm
	38mm	16.89mm
	33mm	17.5mm



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )	Height 高度
DF-256	28mm	17.38mm
	24mm	17.62mm
	20mm	16.1mm
	18mm	18.07mm



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )	Height 高度
DF-257	28mm	20.93mm

Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )	Height 高度
DF-258	48mm	16.77mm



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )	Height 高度
DF-259	53mm	25.39mm



# SCREW CAP



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )	Height 高度
DF-131	18/410	14.35mm
	24/410	17.87mm
	28/410	17.05mm
DF-260	28mm	11.16mm
DF-261	33mm	12.41mm



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )	Height 高度
DF-264	38mm	13.85mm
	40mm	14.03mm
	43mm	14.7mm



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )	Height 高度
DF-262	18/410	17.33mm
	24/410	17.8mm
	28/410	16.96mm
DF-263	28mm	26.93mm



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )	Height 高度
DF-265	38mm	13.51mm
	48mm	16mm



# SCREW CAP



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )	Height 高度
DF-266	28mm	15.89mm

Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )	Height 高度
DF-267	45mm	15.41mm

Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )	Height 高度
DF-272	38mm	11.5mm

Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )	Height 高度
DF-273	58mm	12.4mm



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )	Height 高度
DF-268	53mm	15.39mm

Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )	Height 高度
DF-269	68mm	14.1mm

Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )	Height 高度
DF-274	68mm	11.57mm

Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )	Height 高度
DF-275	87mm	15.4mm



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )	Height 高度
DF-270	63mm	20.89mm

Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )	Height 高度
DF-271	68mm	16.5mm

Item 型号
DF-276~~DF-280



# ▶▶▶ DROPPER



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
DF-281	15mm
DF-282	20mm



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
DF-283	20mm



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
DF-284	18mm



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
DF-285	20/400 22/400 24/400



Item 型号	Diameter( $\varphi$ ) 直径( $\varphi$ )
DF-286	18/410 20/410 24/410

**CAN BE CUSTOMIZED**





# Pump

## Lotion Pump (Down Lock)

Discharge Rate: 4.0ml/T, 8.0/T



DF-490-1

DF-490-2

### Closure Option.



# Pump

## Lotion Pump (Up Lock)

Discharge Rate: 2.0ml/T



DF-492-1

DF-492-2  
Private Mould Patented

### Actuator Option.



### Closure Option.



## Lotion Pump (Up Lock)

Discharge Rate: 2.0ml/T

(Spring Outside)



DF-491

### Actuator Option.



### Closure Option.



### Metal Shell Option.



### Clip Option.



## Lotion Pump (Down Lock)

Discharge Rate: 3.5ml/T, 5.0ml/T



DF-493

### Actuator Option.



### Metal Shell Option.



### Closure Option.



### Chaplet Option.





# ▶▶▶ Pump

## Lotion Pump (Down Lock)

Discharge Rate:  $1.9 \pm 0.3 \text{ml/T}$




Metal Shell Option.



Plating Option.



Actuator Option.



Closure Option.



# ▶▶▶

## Lotion Pump (Down Lock)

Discharge Rate: 3.5-4.0ml/T



Actuator Option.



Closure Option.



Metal Shell Option.



## Lotion Pump (Up Lock)

Discharge Rate:  $1.0 \pm 0.20 \text{ml/T}$ ,  $2.0 \pm 0.20 \text{ml/T}$



All Plastic

Actuator Option.



Closure Option.





# Pump Lotion Pump

(Up Lock, Clockwise/Counterclockwise/360° Rotation)

Discharge Rate: 2.0±0.30ml/T, 1.5±0.30ml/T



Clockwise Actuator Option.



01

Counterclockwise Actuator Option.



28

30  
NEW

360° Rotation Actuator Option.



31

For Ø24/400 only  
NEW

Closure Option.



Ø24/410  
Ribbed 1"

Ø24/415  
Ribbed 2"

Ø28/400-1  
Ribbed 3"

Ø28/400-2  
Ribbed 4"

Ø28/410  
Ribbed 5"

Ø28/415  
Ribbed 6"

Ø24/400  
Ribbed 7"



Ø24/410  
Smooth 7"

Ø24/415  
Smooth 8"

Ø28/400  
Smooth 9"

Ø28/410  
Smooth 10"

Ø28/415  
Smooth 11"

Ø24/410  
NEW

Metal Shell Option.



Ø24/410

Ø28/410

Ø24/410

Hot Stamping Option.



Alum. Screw Closure Option.



Plating Option.



# Lotion Pump (Up Lock, Clockwise/Counterclockwise)

Discharge Rate: 1.2±0.25ml/T



Clockwise Actuator Option.



Counterclockwise Actuator Option.



28

29  
For Ø33/410 only

Clip Option.



Closure Option.



Ø24/410  
Ribbed 1"

Ø24/415  
Ribbed 2"

Ø28/400-1  
Ribbed 3"

Ø28/400-2  
Ribbed 4"

Ø28/410  
Ribbed 5"

Ø28/415  
Ribbed 6"

Ø33/410  
Ribbed 7"



Ø24/410  
Smooth 8"

Ø24/415  
Smooth 9"

Ø28/400  
Smooth 10"

Ø28/410  
Smooth 11"

Ø28/415  
Smooth 12"

Metal Shell Option.



Ø24/410

Ø28/410

Ø33/410

Plating Option.



Hot Stamping Option.



Alum Screw Closure Option.





# Sprayer

NEW

## Crimpleless



Ø15/400  
DF-476  
0.07/0.1±0.01ml/T



Ø13/400  
DF-477  
0.07/0.1±0.01ml/T



Ø13/400  
DF-478  
0.07/0.1±0.01ml/T



Ø15/400  
DF-479  
0.07/0.1±0.01ml/T

## Screw-on



Ø14/410  
DF-480  
0.07/0.1±0.01ml/T



Ø14/410  
DF-481  
0.07/0.1±0.01ml/T

### Insert Orifice Diameter Option.



### Spray Angle



### Tube Option.



### Actuator Option.



### Rib Option.

Rib size can be customized



### Collar Option.



### Cap Option.



### Actuator Option.



### Collar Option.



### Cap Option.




### Cap Option.



### Metal Shell Option.



### Insert Orifice Diameter Option.



### Spray Angle





# ▶▶▶ Sprayer

## Up Lock

Discharge Rate:  $0.5 \pm 0.1 \text{ ml/T}$



# ▶▶▶

## Up Lock

Discharge Rate:  $0.45 \pm 0.05 \text{ ml/T}$



## Up Lock

Discharge Rate:  $0.5 \pm 0.1 \text{ ml/T}$



## Up Lock

Discharge Rate:  $0.45 \pm 0.05 \text{ ml/T}$

